MotoShot
MOVING TARGET SYSTEMS

MOTOSHOT PRODUCT GUIDE 2026

REAL MOVEMENT. REAL DECISIONS. REAL TRAINING.

Every MotoShot system: what's in the box, how the remote works, specs, part numbers, videos and what customers say.



700+	45+	20	USA
AGENCIES EQUIPPED	STATES & TERRITORIES	YEARS IN BUSINESS	BUILT & SUPPORTED

INSIDE THIS GUIDE

MOVING TARGET SYSTEMS

Elite Armored Moving Target System 2
Elite Standard Moving Target System 4
The Elite, four ways (packages) 6

STATIONARY & DECISION-MAKING TARGETS

Orbit Target Turner 7
DMT Decision Making Target Systems 9
TCR-DD 3D Target Dropper with Hit Counter 11
3D Target Pivot Stand, Kit and Steel Target Stand 13

TARGETS & REACTIVE UPGRADES

Hit-Reactive Fall Bracket and HSF-Auto Auto-Resetting 3D Target 15
TCR-TMT Threat Management Trainer 17
MotoMan 3D Targets 19
C-Bell 6” 360° Steel Target 21

ROBOT UPGRADES, POWER & SUPPORT

Gallery Mode, MotoTRAX and Autopilot 23
Batteries, lithium upgrade and chargers 25
Transport cases, spall cover and spare parts 27

Each product: photos and what it is, what’s in the box, how the remote works, the specifications, every part number and upgrade, the videos, and what customers say.

Every link works. Tap it in the PDF, or scan the codes on paper.

No prices here: every system is quoted to your training needs at **motoshot.com/request-a-quote** or **866.580.4284**.

ALL VIDEOS
YOUTUBE.COM/@MOTOSHOT

MOVING TARGET SYSTEMS

ELITE ARMORED

Elite-AR · Elite-AR-HSF-MANUAL · Elite-AR-HSF-AUTO · Elite-AR-DMT









A remotely driven, all-wheel-drive moving target built from rifle-rated AR550 armor plate; MotoShot calls it the "Humvee" of moving targets. The armored chassis shields the motors, gears, tires and electronics, and its sides are angled 10° to send errant rounds into the ground.

Your instructor drives it live: any direction, any speed, spin in place, turn and charge. It carries paper, full-body or several 3D targets, comes pre-wired for hit-reactive upgrades, and runs indoors or out with live fire or less-lethal rounds.

CHASSIS	WEIGHT
AR550, rifle-rated	165 lbs system
REMOTE	**RUN TIME**
1000 m	Up to 6 hrs

BUILT FOR

- Qualification courses
- Shoot / no-shoot decisions
- Hostage scenarios
- Force-on-force & less-lethal
- Long range & sniper
- Use of force: when to stop shooting

+ IN THE BOX ELITE-AR BASE PACKAGE



Elite Armored robot



Digital remote, 1000 m



×2 Quick-exchange battery packs



Battery pack charger



×2 Target brackets, 2" × 4" and 2" × 2"

Built in: the AR550 chassis, four 24 V motors, run-flat tires and the Hit/Stop prewire. What each package adds: see "The Elite, four ways".

+ THE REMOTE TRIGGER-STYLE DIGITAL REMOTE



ELITE REMOTE

TRIGGER Forward and reverse at variable speed.

WHEEL Steers, and spins the robot 360° in place (skid steer).

RANGE 2.4 GHz digital, up to 1000 m line of sight in ideal conditions; 4 AA batteries.

UPGRADES HSF-Auto and DMT packages ship with a 4-channel LCD remote that also lifts the target or turns the turner. Gallery Mode and Autopilot switch on from the remote too.



TRIM PANEL: STEERING AND THROTTLE TRIM, SERVO REVERSE, THROTTLE END POINTS

+ SPECIFICATIONS

CONSTRUCTION	AR550 armor plate, rifle-rated; ricochet-reducing chassis with every side angled 10°
WEIGHT	118 lbs base; 165 lbs as a system (SLA batteries, 3D target, metal brackets)
MOTORS	Four 24 V all-steel, industrial-grade motors; self-lubricating gearbox, sealed bearings
POWER	Two quick-exchange rechargeable battery packs, no tools; SLA standard, lithium optional
REMOTE	Trigger-style 2.4 GHz digital spread-spectrum, up to 1000 m line of sight (ideal conditions), 4 AA
COLOR	Black

DIMENSIONS	10.75" H × 23.5" W × 26" L (includes out-riggers)
DRIVE	Four all-wheel drive, skid-steer; 360° spin in place; variable speed forward and reverse
WHEELS	10" commercial-grade solid-core run-flat tires under the ballistic shell
RUN TIME	Up to 6 hours
CONTROLS	Heavy-duty motor controller; external heavy-duty ON/OFF switch

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
Elite-AR	**Elite Armored base package**	Base robot, remote, brackets, two battery packs, charger
Elite-AR-HSF-MANUAL Elite-AR-HSF-AUTO Elite-AR-DMT	**The three packages**	Hit-sensing fall, manual reset; auto-resetting reactive target; turning target system. Side by side in "The Elite, four ways", page 6.
OPTION	**Hostage scenario trainer**	OEM upgrade: two 3D targets on one robot
OPTION	**Gallery feature**	Self-running track mode; installed when the robot is built
12V15AH	**Lithium battery and charger package**	LiFePO4 upgrade for longer run time and faster recharge; the Elite takes two
CB-6	**C-Bell 6" on the robot**	A moving steel target; use with the spall cover
TCR-PTB	**Paper target bracket**	Goal-post style bracket for paper targets
TCR-1690	**Robot transport and storage case**	Wheeled, watertight, crushproof

+ WATCH IT ON OUR YOUTUBE CHANNEL




MotoShot Elite: the moving target that goes down when it's hit
youtu.be/O1CcRqVU5GA · 1:14



ALERT Team chooses MotoShot for their realistic training
youtu.be/6dWBbc6a6Lk · 1:22



Quickly and easily create realistic training scenarios with MotoShot Moving Target Systems.
youtu.be/Be7p7OUfVxw · 4:00



MotoShot Ballistic Protected Moving Target System
youtu.be/zaBwk93gFXo · 1:49

+ LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/elite-armored-moving-target-system

+ WHAT CUSTOMERS SAY

"Before MotoShot we always had to move the officer toward or away from a static threat — something you can do on any static range. The Elite MotoShot robot lets us incorporate elements into our training that we just couldn't get any other way."

CDR. MARK PROVOST · EAU CLAIRE COUNTY SWAT TEAM, WI

"The systems are working well, as they have since we purchased them all those years ago."

DIRECTORATE OF EMERGENCY SERVICES · INVENTORY MANAGEMENT

MOVING TARGET SYSTEMS

ELITE STANDARD

Elite Standard









The pistol-rated Elite: the same four-wheel-drive robot, remote and lifelike movement as the Elite Armored, in heavy-duty 1/8" 11G steel at 87 lbs, with every side angled 10° to divert errant rounds to the ground.

Built for close-quarter, urban and traditional moving-target training, and for hostage and decision-making drills. Powder coated with sealed connectors for year-round outdoor use; every Elite package is also available on the Standard.

CHASSIS	WEIGHT
1/8" 11G steel	87 lbs
REMOTE	**RUN TIME**
1000 m	6 hrs

BUILT FOR

- Qualification courses
- Shoot / no-shoot decisions
- Hostage scenarios
- Shoot house, MOUT, close quarters
- Force-on-force & less-lethal

+ IN THE BOX ELITE STANDARD BASE SYSTEM



Elite Standard robot



Digital remote



×2 Quick-exchange battery packs



Battery pack charger



Standard target bracket

Built in: the 1/8" steel chassis, four 24 V motors, run-flat tires and Hit/Stop technology.

+ THE REMOTE TRIGGER-STYLE DIGITAL REMOTE



ELITE REMOTE

TRIGGER	Forward and reverse at variable speed.
WHEEL	Steers, and spins the robot 360° in place (skid steer).
RANGE	2.4 GHz digital, up to 1000 m line of sight in ideal conditions; 4 AA batteries.
UPGRADES	HSF-Auto and DMT packages ship with a 4-channel LCD remote that also lifts the target or turns the turner. Gallery Mode and Autopilot switch on from the remote too.



TRIM PANEL: STEERING AND THROTTLE TRIM, SERVO REVERSE, THROTTLE END POINTS

SPECIFICATIONS

CONSTRUCTION	Heavy-duty 1/8" 11G steel plate, pistol-rated; trapezoid chassis, sides angled 10°
WEIGHT	87 lbs
MOTORS	Four 24 V all-steel, industrial-grade motors; self-lubricating gearbox, sealed bearings
POWER	Two quick-exchange rechargeable battery packs; 6-hour run time
HIT RESPONSE	Compatible with all handgun, rifle and less-lethal rounds

DIMENSIONS	10.75" H × 23.5" W × 26" L
DRIVE	Four all-wheel drive, skid-steer; 360° turning; variable speed forward and reverse
WHEELS	10" solid-core run-flat tires under a protective shell; adjustable, removable casters
REMOTE	Trigger-style 2.4 GHz digital spread-spectrum, up to 1000 m line of sight (ideal conditions)
FINISH	Powder coated, sealed connectors; year-round outdoor use

PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
Elite Standard	**Elite Standard base system**	Pistol-rated robot, remote, bracket, two battery packs, charger
	Hit Reactive Auto-Lift package	Life-size 3D target, hit sensing for live fire and less-lethal, electromagnetic fall bracket with auto-lift
	Decision-Making (DMT) package	Dedicated bi-directional turner powered by the robot and run from its remote
OPTION	**Bi-directional turning target**	Shown on the site with the turning target system
OPTION	**Hit-reactive 3D targets**	MotoMan targets on the robot
OPTION	**Gallery feature**	Self-running track mode
Elite-AR	**Step up to the Elite Armored**	AR550, rifle-rated

WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Elite Moving and Reactive Target System
youtu.be/l4So2WNi5ec · 1:41



MotoShot Moving Target System in Action | Live Fire Training Demo | MotoShot Challenge
youtu.be/IEutOylM-Uc · 0:15

LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/elite-standard-moving-target-system

WHAT CUSTOMERS SAY

"The mobility of the system was great. We were able to drive the system over all types of terrain, inclines and declines with no problems."

OFFICER O'CONNOR · BOISE POLICE DEPARTMENT, ID

"Armed suspects don't run back and forth — they move, they bop, they weave, they try to create better positions to shoot you. That's what we can do with the MotoShot."

DAVE SPAULDING · FIREARMS TRAINER & AUTHOR

IN THE FIELD

PHOTOS AND FRAMES FROM THE VIDEOS







THE ELITE, FOUR WAYS

SAME ARMORED ROBOT. PICK THE TARGETRY YOUR TRAINING NEEDS.

ELITE-AR



ELITE ARMORED ROBOT

Base system

▶ Quickly and easily create realistic training scenarios with MotoShot Moving Target Systems.

"We prefer it to the fixed-track systems many ranges have because the speed and direction can easily change with the remote control."

YOON · RANGEMASTER, ANAHEIM POLICE DEPARTMENT, CA

ELITE-AR-HSF-MANUAL



ELITE ARMORED ROBOT

Hit-sensing fall, manual reset

▶ Controlled Fall Bracket for MotoShot Moving Target Systems

"A definite game changer — allowed us to deliver training at a new level. I also took it to firearms instructor school for the state of Indiana. I cant imagine training without it!"

CHIEF STEVE RULLI · NAPPANEE POLICE DEPARTMENT, IN

ELITE-AR-HSF-AUTO



ELITE ARMORED ROBOT

Auto-resetting 3D target

▶ MotoShot Elite Auto reset 3D Target

"I ran 3 consecutive days of VCQB with the system this week and it worked great! I'm recommending we buy another system for our office."

SPECIAL AGENT · FEDERAL AGENCY (ANONYMIZED)

ELITE-AR-DMT



ELITE ARMORED ROBOT

Decision-making turning target

▶ MotoShot DMT Range, Elite Moving Target and Pivot Stand

"The movement was a key component to our use of the system. Most systems have targets fixed on a linear or predetermined path, which can be learned and not be a surprise."

SATISFIED MOTOSHOT USER

WHAT EACH PACKAGE INCLUDES	ELITE-AR	ELITE-AR-HSF-MANUAL	ELITE-AR-HSF-AUTO	ELITE-AR-DMT
AR550 armor plate chassis	+	+	+	+
Four all-wheel drive	+	+	+	+
Digital wireless remote, 1000 m	+	+	+	+
Hit/Stop Target Technology prewire	+	+	+	+
Standard target brackets	+	+	+	+
2 quick-exchange battery packs + charger	+	+	+	+
Solid-core run-flat tires	+	+	+	+
Integrated hit-sensing reactive system, less-lethal and live fire	–	+	+	–
Electromagnetic fall bracket	–	+	+	–
Cantilever control fall	–	+	+	–
AR500 protective shroud for the fall bracket	–	–	+	–
Integrated auto lift, activated by remote	–	–	+	–
Upgraded 4-channel LCD remote	–	–	+	+
Integrated power source	–	–	+	+
Integrated bi-directional turn system and turning target	–	–	–	+

Every package is available on the Elite Standard or Armored. Optional OEM upgrades: reactive 3D targets, turning targets, the gallery feature and the hostage scenario trainer; combined in one robot, the Elite supports six distinct training configurations. Package contents as listed on the Elite product pages; shipped color is black.

STATIONARY & DECISION-MAKING TARGETS

ORBIT TARGET TURNER NEW

Orbit









Two turners, four facings, one wireless remote. MotoShot's newest platform is built for decisional shoot / no-shoot training, with threats presented together or independently from the same hardware.

Run it as one paired station with four presentations, or split it into two stand-alone turners on separate lanes. The turn is triggered from the firing line, so no one goes downrange, and the same rig covers the two-target rifle qualification course.

TURNERS 2, four facings	REMOTE 3-ch, 300 yd
SETUPS Paired or split	MODES Together or apart

BUILT FOR

- Shoot / no-shoot decisions
- Qualification courses
- Force-on-force & less-lethal
- Low light & night vision
- Hostage scenarios
- No walking downrange


+ IN THE BOX ORBIT TARGET TURNER SET



×2 Bi-directional turners



3-channel remote, 300 yd



Wood post target mounts



Rechargeable battery + charger

Ready to train out of the box. Targets ride wood posts and swap in seconds.

+ THE REMOTE 3-CHANNEL TRIGGER REMOTE



ORBIT REMOTE

TRIGGER	Turns both targets left or right together.
BUTTON	Splits them, so each turner answers on its own; press it again to bring them back in sync.
RANGE	3-channel wireless, up to 300 yards, from the firing line.
POWER	Rechargeable battery and charger, for the remote as well as the turners.



ONE REMOTE RUNS EVERY ORBIT SET YOU ADD

+ SPECIFICATIONS

TURNERS	Two bi-directional chassis, four facings
SETUPS	Paired (one station) or split (two independent stations)
MOUNTS	Wood post target mounts; swap silhouettes in seconds
SCALING	One remote runs every set you add
REMOTE	3-channel wireless, 300 yd range
MODES	Simultaneous or independent threats
POWER	Rechargeable battery and charger, on the system and on the remote

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
Orbit	**Orbit Target Turner set**	Two turners, remote, mounts, battery and charger, out of the box
OPTION	**Setup 1 · Paired**	One station, two turners, four presentations
OPTION	**Setup 2 · Split**	Two independent stations on separate lanes
OPTION	**More sets**	One remote runs them all
OPTION	**With the Elite**	Build a moving shoot / don't shoot scenario

+ WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Orbit Target Turner — Unpredictable Turns for Decisional Shoot / No-Shoot Training
youtu.be/XZ9EtNjhRE4 · 0:35



MotoShot Orbit Target Turner: two targets, one remote
youtu.be/S7GzzZYF9Q4 · 1:19



Elite + Orbit: build a moving shoot / don't shoot scenario
youtu.be/eYPZoxAHqAc · 1:08

+ LINKS

PRODUCT PAGE LEAD VIDEO

motoshot.com/orbit-target-turner

+ WHAT CUSTOMERS SAY

"Because when it turns, you have to react, so I kind of like that part of it."

POLICE OFFICER · AFTER TRAINING ON THE ORBIT TARGET TURNER

"You can do the combination, so it's never the same, so it's not as predictable."

POLICE OFFICER · ON THE ORBIT TARGET TURNER

+ IN THE FIELD PHOTOS







STATIONARY & DECISION-MAKING TARGETS

DMT TURNERS & LIFTERS

TCR-TT · TCR-TT-SL · TCR-TT-L · TCR-TT-Dedicated









Lightweight, battery-powered turners and lifters that need no compressed air and no AC power: a portable, economical answer for agencies with little range time, tight budgets, shared ranges or no dedicated range.

Turners swing a target 90° so the shooter must decide friend or foe; side and rear lifters raise it from cover. One remote or a pressure mat can fire a whole bank, enough for a crowd or a multiple-hostage scenario.

POWER 12 V AGM, no air or AC	**PROGRAMMING** 1 s, 4 s, latched
ACTIVATION Remote or mat	**PACKS TO** 32″ × 10″ × 6″

BUILT FOR

- Shoot / no-shoot decisions
- Threat identification
- Hostage scenarios
- Tight budget, shared or no dedicated range
- Shoot house, MOUT, close quarters

+ IN THE BOX — EACH DMT TURNER OR LIFTER



Turner or lifter on its collapsible stand



Key-fob remote, 30 yds



Quick-exchange 12 V battery

Options: pressure mat, 6′ tether, armor guard, long-range remote, banks of 2 or 4.

+ THE REMOTE — KEY-FOB REMOTE OR PRESSURE MAT



KEY-FOB REMOTE

KEY FOB	Built in, up to 30 yds: a press turns or lifts the target.
MAT	A 24″ × 30″ pressure-sensitive mat triggers it underfoot.
BANKS	One master remote or one mat runs a whole bank, units tethered up to 6 yds apart.
TIMING	1 s, 4 s or latched; lifters take an optional digital timer.
ON AN ELITE	The dedicated turner (TCR-TT-Dedicated) runs from the robot's remote.



OPTIONAL LONG-RANGE DIGITAL REMOTE, UP TO 1000 YDS

SPECIFICATIONS

ACTIVATION	Keyfob-style wireless remote (built-in, up to 30 yds) or pressure-sensitive mat; optional digital long-range remote up to 1000 yds
PROGRAMMING	Basic: 1 s, 4 s or latched. Lifters: optional digital timer, pause / edge / face routines. Site modes P1 and P2
HOUSING	Pistol-rated, bullet-resistant steel housing for the controls
MOUNTING	1" × 2" post pockets with stabilizing thumb screws
BANKS	Units tether up to 6 yds apart; several run from one master remote or one mat
POWER	Quick-exchange sealed AGM 12 V battery pack; 1000's of cycles on one charge
SIZE	Collapses to 32" × 10" × 6"; deploys in minutes
REQUIRES	No compressed air, no external AC power; indoor or outdoor ranges

PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
TCR-TT	**Bi-directional target turner**	Decision Making Bi-Directional Target Turner System with stand
TCR-TT-SL	**Side lifter**	Decision Making Target SIDE Lift Target System with stand
TCR-TT-L	**Rear lifter**	Decision Making Target REAR Lift Target System with stand
TCR-TT-Dedicated	**Turner for the robot**	Bi-directional target system for the Elite; no stand, run from the robot's remote
OPTION	**Bank of 2 or bank of 4**	Package banks of turners or lifters
TCR-Mat	**Pressure-sensitive activation mat**	24" × 30"; triggers one unit or a bank
OPTION	**6' extension tether**	Links units in a bank
TCR-DMT-AR	**DMT armor guard**	Armor guard for the control housing
OPTION	**Ballistic rubber-faced steel plate**	Recommended for all systems
OPTION	**Long-range digital remote**	Up to 1000 yds (optional)


WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Decision Making Target Systems
youtu.be/vU8sbvTFNcQ · 2:02



MotoShot Target Turners
youtu.be/8MfV79PLxd8 · 1:34



MotoShot Bi-Directional Target Turner
youtu.be/10gOO30m0tw · 1:13



Engaging Multiple Threats - MotoShot Decision Making Targets
youtu.be/Z7uQey387aM · 0:30

LINKS

PRODUCT PAGE LEAD VIDEO

motoshot.com/turning-target-system

WHAT CUSTOMERS SAY

> *"They [Turners] just came in and they are AWESOME. Thank you for the quick turn around!"*
>
> BW · TRAINER

IN THE FIELD PHOTOS







STATIONARY & DECISION-MAKING TARGETS

3D TARGET DROPPER

TCR-DD









A stationary but reactive 3D target for shoot houses, MOUT sites and Hogan's alleys. It counts hits from live fire or less-lethal rounds and collapses after the number the instructor dials in, from 1 to 10.

The 360° magnetic fall bracket holds the target at any angle, even from a ceiling, and resets in seconds. Add a second target for a hostage scenario, or the Threat Management Trainer to train when to stop shooting.

DROPS AFTER 1 to 10 hits	ROUNDS Live fire + less-lethal
BASE 20 lbs	MOUNT Any angle, ceiling

BUILT FOR

- Shoot house, MOUT, close quarters
- Hostage scenarios
- Use of force: when to stop shooting
- Force-on-force & less-lethal

+ IN THE BOX TCR-DD 3D TARGET DROPPER



Foldable stand, fall bracket and hit counter



3D target with arms



Hit-count sensor



12 V quick-exchange battery

12 V smart charger

The base weighs 20 lbs and folds flat; ON/OFF switch on the base.

+ THE REMOTE NO REMOTE NEEDED



OPTIONAL KEY FOB (TCR-REMOTE)

ON ITS OWN	Counts the hits and drops after the number set on the Drop-Dial, 1 to 10.
OPTION	TCR-Remote lets the instructor drop the target from a key fob.
WITH THE TMT	Add the Threat Management Trainer and its fob drops the threat from the target's hand.

SPECIFICATIONS

HIT COUNTER	"Drop-Dial" programmable, 1 to 10 hits
FALL BRACKET	360° magnetic, any direction, ceiling-mountable; 10" × 4" × 3", 9 lbs each
POWER	12 V quick-exchange rechargeable battery and 12 V smart charger; ON/OFF switch
3D TARGET	Life-size torso with arms; 2" × 4" holder molded in; semi self-sealing; ships at 14 lbs
HIT SENSING	Live fire and less-lethal; compatible with all handgun, rifle and less-lethal rounds
BASE	5" H × 10" W × 36" L, 20 lbs; foldable stand
FINISH	Powder coated, sealed connectors, year-round outdoor use


PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
TCR-DD	**3D Target Dropper with Hit Counter**	Stand, fall bracket, hit-count sensor, battery, charger and 3D target
TCR-Remote	**Operator remote drop**	Drop the target by keyfob remote
TCR-DD-AR	**Dropper armor guard**	Ballistic protection panel
OPTION	**Second target bracket**	Two 3D targets for a hostage scenario
TCR-TMT	**Threat Management Trainer**	The target holds a threat or a non-threat
TCR-918-DD	**Replacement hit-count sensor**	For hit-count dropper systems


WATCH IT ON OUR YOUTUBE CHANNEL



3D Target Dropper
youtu.be/vTAH6fDCBho · 1:20



3D Target Dropper
youtu.be/SuqTyYmWEP8 · 4:20



MotoShot 3D Target Dropper
youtu.be/Wu2A2o13EQ0 · 1:03

LINKS

PRODUCT PAGE LEAD VIDEO

motoshot.com/3d-target-dropper

WHAT CUSTOMERS SAY

"Great product and easy to set up and use. I like the fact that you can use SIMS munition up to real rounds."

OFFICER SCHLAGEL · LANSING POLICE DEPARTMENT, MI

IN THE FIELD PHOTOS







STATIONARY & DECISION-MAKING TARGETS

PIVOT STAND & TARGET STANDS

MMPS · MMPS-Kit · SS-STAND · Gran-Rubber









A low-cost knock-down stand for 3D targets. Fill a MotoMan with granular rubber, set it on the all-steel "H style" pivot stand, and it tips over when hit by handgun or rifle rounds.

A rear screw sets the lean for multiple hits or calibers, and the pivot sits low and behind the stand, out of the line of fire. Reset is by hand. The matching Steel Target Stand holds a MotoMan or a C-Bell 6" for static work.

STAND	REACTION
All-steel "H style"	Tips over when hit
ROUNDS	**RESET**
Handgun and rifle	Manual

BUILT FOR

- Tight budget, shared or no dedicated range
- Shoot house, MOUT, close quarters
- Steel & audible feedback

+ IN THE BOX PIVOT STAND KIT (MMPS-KIT)



"H style" pivot stand



MotoMan 3D target



OPTION Gran Trap rubber fill

The stand alone is MMPS, targets sold separately. For static work: the Steel Target Stand (SS-STAND).

+ THE REMOTE NO REMOTE, NO POWER

REACTS TO THE HIT	The rubber-filled MotoMan tips over when it's shot; stand it back up by hand.
LEAN SCREW	A rear screw sets how easily it tips, for multiple hits or calibers.

+ SPECIFICATIONS

STAND	Heavy-duty all-steel "H style", powder coated, one piece
SENSITIVITY	Rear-mounted screw adjusts the lean for multiple hits or calibers
MOUNT	2" × 4" post, thumbscrews and stop bolt
STEEL TARGET STAND	Static "H style" stand, 14.5 lbs, black
REACTION	Tips over when hit; manual reset
PIVOT	Low and rear-facing, out of the line of fire
FILL	Gran Trap rubber: about 35 lbs for torso and head; factory-installed option

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
MMPS	**Pivot Stand**	Heavy-duty “H style” knock-down pivot stand; targets sold separately
MMPS-Kit	**3D Target Pivot Stand Kit**	MotoMan 3D target and pivot stand, with optional rubber fill
SS-STAND	**Steel Target Stand**	Static “H style” stand for a MotoMan or C-Bell 6”
Gran-Rubber	**Gran Trap Rubber Fill**	Granular rubber for torso and head; by the pound installed or 50# bag
MM3D	**3D MotoMan target**	The target that rides the stand
CB-6	**C-Bell 6”**	On the Steel Target Stand

+ WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Pivot Stand
youtu.be/W7QzJfTbuAc · 0:37



MotoShot DMT Range, Elite Moving Target and Pivot Stand
youtu.be/iuWIWw70xFE · 1:53

+ LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/3d-target-pivot-stand

+ WHAT CUSTOMERS SAY

“Every Police department should have MotoShot in their training division!”

DET. SHAWN PETTEE · STATE OF WISCONSIN FIREARMS TRAINER & POLICE DETECTIVE

+ IN THE FIELD PHOTOS







TARGETS & REACTIVE UPGRADES

HIT-REACTIVE FALL & HSF-AUTO

Elite-AR-HSF-MANUAL · Elite-AR-HSF-AUTO · TCR-918









Hit-reactive 3D targets bring feedback and consequence into every drill. The integrated sensor registers live-fire and less-lethal hits instantly, and the robot stops, or stops and drops the target through the electromagnetic fall bracket.

MotoShot calls HSF-Auto the first-ever integrated auto-resetting system for 3D targets: the instructor lifts the target back up from the remote, out to 1000 m, so no one walks downrange. Order it built in, or as the Hit Reactive Auto-Lift package on any Elite.

SENSES **Live fire + less-lethal**	RESET **By remote (Auto)**
RANGE **To 1000 m**	FALL **Cantilever-controlled**

BUILT FOR

- Use of force: when to stop shooting
- Long range & sniper
- Shoot house, MOUT, close quarters
- Force-on-force & less-lethal
- No walking downrange

+ IN THE BOX

WHAT THE REACTIVE PACKAGES ADD



Electromagnetic fall bracket



Hit sensor

AUTO AR500 bracket shroud



AUTO 4-channel LCD remote



AUTO-LIFT Life-size 3D target

Built in at the factory: hit sensing and the cantilever-controlled fall; on HSF-Auto, the auto lift and integrated power.

+ THE REMOTE

RUNS FROM THE ROBOT'S REMOTE




4-CHANNEL LCD REMOTE (HSF-AUTO)

ON A HIT The robot stops, or stops and drops the target: you set the response.

RESET HSF-Auto lifts the target back up from the remote, out to 1000 m; HSF-Manual resets by hand.

REMOTE HSF-Auto packages ship with the upgraded 4-channel LCD remote.



FALL BRACKET ON AN ELITE ARMORED, WITH ITS REMOTE

SPECIFICATIONS

HIT SENSING	Integrated; live fire and less-lethal
FALL BRACKET	Electromagnetic, cantilever-controlled fall
RANGE	Operable out to 1000 m
REMOTE	Upgraded 4-channel LCD remote (HSF-AUTO)
RESPONSE	Hit/Stop, or Hit/Stop/Fall; HSF-Auto adds the auto-reset lift
RESET	Manual (HSF-MANUAL) or by remote (HSF-AUTO)
PROTECTION	AR500 shroud for the fall bracket (HSF-AUTO)
TARGET	Life-size 3D target with lifelike arms (Auto-Lift package)

PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
TCR-918	**Replacement hit sensor**	For MotoShot hit-reactive moving target systems
Elite-AR-HSF-MANUAL Elite-AR-HSF-AUTO	**The three packages**	Hit-sensing fall, manual reset; Auto-resetting reactive target. Side by side in “The Elite, four ways”, page 6.
MM3D	**3D MotoMan target**	The target on the fall bracket
TCR-TMT	**Threat Management Trainer**	Lets the target hold a threat or a non-threat

WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Auto Reset Hit Reactive 3D Target
youtu.be/A-GnG7SXfoQ · 1:13



MotoShot Elite Auto reset 3D Target
youtu.be/cN0ojlh44Eo · 1:08



Controlled Fall Bracket for MotoShot Moving Target Systems
youtu.be/1-q9PC4lbXQ · 0:26

LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/auto-resetting-hit-reactive-3d-targets

WHAT CUSTOMERS SAY

“Thank you again for MotoShot. The officers who shoot on the system praise the fall-stop. Most realistic shooting drill or target system shot on to date.”

CAPTAIN WOODRUFF · DURANT POLICE DEPARTMENT, OK

“Up until this, I really hadn’t seen anything where you can actually have real-time feedback from a target and give it voice commands. That just wasn’t possible.”

CHUCK · 12-YEAR LE VETERAN, SWAT OPERATOR & FIREARMS INSTRUCTOR

IN THE FIELD PHOTOS








TARGETS & REACTIVE UPGRADES


THREAT MANAGEMENT TRAINER

TCR-TMT · TCR-TMT-B









Lets any 3D target hold a threat, or a non-threat, and drop it on the trainer's command, in response to what the trainee says and does.

With the 3D Target Dropper it takes training past shoot / don't shoot to when to shoot, how much, and when to stop. Integrated or stand-alone power and trigger, so it fits a dropper, a moving target or any 3D target.

HOLDS **Threat or non-threat**	RELEASE **Remote or key fob**
POWER **Integrated or separate**	PAIRS WITH **3D Target Dropper**

BUILT FOR

- Use of force: when to stop shooting
- Shoot / no-shoot decisions
- Hostage scenarios

+ IN THE BOX THREAT MANAGEMENT TRAINER



Electromagnetic latch



Magnetic armature



Foam pistol



TMT-B Key-fob remote

Power and trigger built into your MotoShot (TCR-TMT) or stand-alone (TCR-TMT-B). 3D target sold separately.

+ THE REMOTE KEY FOB OR BUILT-IN TRIGGER



STAND-ALONE KEY FOB

ON COMMAND	One press releases the magnet and the threat drops from the target's hand.
TCR-TMT	Integrated: power and trigger built into your MotoShot.
TCR-TMT-B	Stand-alone: its own power and key-fob remote, for a dropper or any 3D target.

+ SPECIFICATIONS

MECHANISM	Miniature electromagnetic latching mechanism with magnetic armature
TRIGGER	Integrated trigger or stand-alone key-fob remote
WORKS WITH	Any 3D target; 3D Target Dropper; MotoShot movers
POWER	Integrated or stand-alone
PROP	Foam pistol included

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
TCR-TMT	**Threat Management Trainer, integrated**	Integrated power and remote, OEM
TCR-TMT-B	**Threat Management Trainer, stand-alone**	Separate power and remote
TCR-DD	**3D Target Dropper**	The pairing shown on the site
MM3D	**3D MotoMan target**	Holds the threat

+ WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Threat Management Trainer - Use of Force Trainer

youtu.be/72S3pUKf-TY · 1:07

+ LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/use-of-force-threat-management-trainer

+ WHAT CUSTOMERS SAY

"We are a small agency with limited funds. I was hesitant at first, but I can categorically state it has proven to be worth every penny."

SHERIFF PAUL GANN · MASON COUNTY SHERIFF'S OFFICE, IL · FIREARMS INSTRUCTOR · 23 YRS IN SERVICE


"MPD SWAT used it for a range training day and Snipers used it for a training day. After using the product MPD is requesting a quote for two units."

SGT. GRUMM · MODESTO POLICE DEPARTMENT, CA

+ IN THE FIELD

PHOTOS AND FRAMES FROM THE VIDEOS







▶ MotoShot Threat Management Trainer - Use of Force Trainer

TARGETS & REACTIVE UPGRADES

MOTOMAN 3D TARGETS

MM3D · 3DMM-NA · Gran-Rubber









Life-size, fully dimensional targets. Flat paper doesn't teach an accurate stopping shot on a three-dimensional body; MotoMan changes the point of aim and helps prepare officers for human engagement.

Use it static, tip-over, turning, falling or on a mover, with a threat or non-threat in its hand and an optional C-Bell in the "A" zone for audible hits. The arms reposition without loosening a bolt, and a worn torso is replaced on its own.

SIZE **Life-size**	MOUNT **2" × 4" pocket**
USES **Static to moving**	ARMS **Positional**

BUILT FOR

Shoot / no-shoot decisions · Hostage scenarios · Steel & audible feedback

+ IN THE BOX ONE MOTOMAN 3D TARGET



MotoMan 3D target with arms



BUILT IN Positional shoulder joints



BUILT IN 2" × 4" post pocket



BUILT IN Counter-sunk sensor pad

Replacement torso without arms: 3DMM-NA. Gran Trap rubber fill for rifle rounds on the pivot stand.

+ THE REMOTE NO REMOTE



IT'S THE TARGET

Turning, falling or hit counting comes from the stand, turner or robot it rides on.

+ SPECIFICATIONS

SIZE	Life-size torso with arms; realistic in size
MOUNT	Formed, tapered 2" × 4" post pocket; no extra bracket
SENSOR	Counter-sunk sensor pad with strap and screw inserts
FILL	About 35 lbs of Gran Trap rubber for rifle rounds on the pivot stand

MATERIAL	Ultra-durable plastic; all-weather; semi self-sealing
ARMS	Interlocking molded shoulder joints, aluminum bolts; threat / no-threat positions
SHOOTING	Can be shot at from any direction


PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
MM3D	**3D MotoMan Target**	Hit-reactive, fully 3D target with arms
3DMM-NA	**3D MotoMan Target (No Arms)**	Replacement center torso
Gran-Rubber	**Gran Trap Rubber Fill**	Adds volume and reaction for rifle rounds
MMPS	**Tip-over**	On the pivot stand
TCR-TT	**180° turning**	On a target turner
TCR-918	**Falling**	With a hit sensor on a mover or dropper
CB-6	**"A" zone audible feedback**	Embedded C-Bell AR500 target
TCR-TMT	**Threat / no-threat**	An item in the target's hand

WATCH IT ON OUR YOUTUBE CHANNEL



3D MotoMan with "A" Zone / Center Mass Audible Feedback
youtu.be/UsycvP4K7gU · 0:31



MotoShot Pivot Stand
youtu.be/W7QzJfTbuAc · 0:37

LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/3d-plastic-targets

WHAT CUSTOMERS SAY

"Up until now I have never seen where you can actually have real-time feedback from a target. Shooting at a 2 dimensional target isn't realistic. With the dropping targets, set up on the MotoShot, you can incorporate shooting at a real 3 dimensional target."


CHUCK · 12 YEAR VETERAN IN LAW ENFORCEMENT, SWAT / FIREARMS INSTRUCTOR

"The greatest strength of the MotoShot is the movement enabling 360° turns, especially on uneven ground. The variety of options for targets is desirable as well."

SATISFIED MOTOSHOT USER

IN THE FIELD

PHOTOS AND FRAMES FROM THE VIDEOS







▶ 3D MotoMan with "A" Zone / Center Mass Audible Feedback



▶ MotoShot Pivot Stand

TARGETS & REACTIVE UPGRADES

C-BELL STEEL TARGETS

CB-6







The first ever 360° shooting target: a steel cylinder that always faces the shooter and rings for seconds after a hit, where flat steel goes quiet at once.

Third-party testing found a smaller spall angle than flat steel; keep a 30° safe zone on each side and behind. Built for duty pistol, not rifle. Mounts on a 2" × 4", the Steel Target Stand, or an Elite as moving steel.

FACES	STEEL
360°	AR500 class
WEIGHT	**RATED**
9.1 lbs	Duty pistol only

BUILT FOR

Steel & audible feedback

+ IN THE BOX C-BELL 6"



C-Bell 6" head, welded 2" × 4" pocket



SOLD SEPARATELY
Steel Target Stand

Duty pistol only, not rifle. Keep a 30° safe zone on each side and behind.

+ THE REMOTE NO REMOTE, NO POWER

STEEL — It rings on the hit, for seconds, from any angle.

+ SPECIFICATIONS

HEAD	5.25" diameter × 6" high
MOUNT	Welded 2" × 4" pocket; stand sold separately
RATED FOR	9mm, .40 S&W, .45 ACP, .357 SIG, .38 Special from 10 yd; .357 Magnum and 10mm from 15 yd
SAFE ZONE	30° on each side and behind

MATERIAL	AR500-class hardened steel (HARDOX 500 tube, 6 mm wall)
WEIGHT	9.1 lbs assembled
NOT RATED	Rifle

PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
CB-6	**C-Bell 6" AR500 Steel Target**	360° cylindrical steel target; stand sold separately
SS-STAND	**Steel Target Stand**	Heavy-duty "H style"
OPTION	**On the Elite**	A moving steel target
spall-cover	**Spall cover for Elite robots**	Rubber mat for shooting steel on the robot

WATCH IT ON OUR YOUTUBE CHANNEL



SWAT Training | C-Bell AR500 Steel Target Demo
youtu.be/xJFJ0Yqk5ng · 0:45



C-Bell Steel Targets | The Target is always facing you!
youtu.be/porvZh2br5I · 1:09



MotoShot Elite Moving Target System featuring the NEW C-Bell Steel Targets!
youtu.be/g6wywziMmPM · 1:09



MotoShot Elite 360° Moving Target System for Steel Targets
youtu.be/oO9TvUk1ZzU · 1:42

LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/c-bell-steel-targets

WHAT CUSTOMERS SAY

"The "Ring" is fantastic..when I have it at the range it is the most popular target...Thanks Again!"
C-BELL CUSTOMER

"Well Built.... Rings really well.... Speedy delivery..... Excellent...."
C-BELL CUSTOMER

IN THE FIELD

PHOTOS AND FRAMES FROM THE VIDEOS









ROBOT UPGRADES, POWER & SUPPORT

GALLERY MODE, MOTOTRAX & AUTOPILOT

MotoTRAX







Three ways to run a MotoShot with nobody on the remote. Gallery Mode follows a simple 2" × 4" track for a repeating course of fire, with no electrical or pneumatic hookups; it is installed when the robot is built.

MotoTRAX adds track-following to an existing MotoShot, on any course you design. Autopilot needs no track at all: drive out to distance, switch it on from the remote, and it runs back and forth for up to 6 hours on one charge.

OPERATOR	TRACK
None needed	2×4, any length
AUTOPILOT	**HOOKUPS**
Up to 6 hrs	None

BUILT FOR

- Runs without an operator
- Qualification courses

+ WHAT YOU GET

GALLERY MODE, MOTOTRAX, AUTOPILOT

Gallery feature, built into the robot



MotoTRAX track-following kit



2" × 4" track, built or kitted

No electrical or pneumatic hookups. Gallery Mode is installed when the robot is built; MotoTRAX fits robots you already own.

+ THE REMOTE

ONE SWITCH ON THE REMOTE



ELITE REMOTE

GALLERY MODE	Flip the switch and the robot runs the track on its own.
AUTOPILOT	Drive it out to distance, press the button, and it runs back and forth for up to 6 hrs.
MOTOTRAX	Follows the course you lay out, on an existing MotoShot.


+ SPECIFICATIONS

GALLERY MODE	Repeated course of fire, no operator; enabled by a switch on the remote; installed at purchase
MOTOTRAX	Adapts to existing MotoShot systems; follows any course you design
HOOKUPS	No electrical or pneumatic hookups
TRACK	2" × 4" timbers, any length, curves under 20°; e.g. three 8′ 2×4s, one 6′ 1×2 strip, four truss plates
AUTOPILOT	No operator, no track; back and forth up to 6 hours on one charge


PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
	Gallery System package	Gallery feature for an Elite; installed upfront
MotoTRAX	**MotoTRAX Track System**	Track-following kit for existing Elite robots
	Autopilot	Trackless back-and-forth mode
OPTION	**Track kit**	MotoShot can kit up a track for you

WATCH IT ON OUR YOUTUBE CHANNEL



MotoShot Elite - now with autopilot!
youtu.be/1rGHOwJLP_M · 1:18



MotoShot MotoTRAX Track System
youtu.be/PCeQorZYS6k · 1:16



MotoTrax Tracking for MotoShot Target Systems
youtu.be/KGYeHXMfC_4 · 0:58



MotoShot Moving Targets - MotoTrax Install
youtu.be/N31HHdETw90 · 0:20

LINKS

PRODUCT PAGE

LEAD VIDEO

motoshot.com/gallery-mode

WHAT CUSTOMERS SAY

"Just wanted to let you know that our officers are excited at the added dimension your MotoShot has given our Department's firearms training program."


SGT. MUSIL · VA POLICE

IN THE FIELD

PHOTOS AND FRAMES FROM THE VIDEOS




MotoShot Elite - now with autopilot!



MotoShot MotoTRAX Track System



MotoTrax Tracking for MotoShot Target Systems



MotoShot Moving Targets - MotoTrax Install

ROBOT UPGRADES, POWER & SUPPORT

BATTERIES & CHARGERS

12V15AH · TCR-914 · TCR-920 · TCR-916-24V-2A · TCR-916-12V-1A







Every MotoShot runs on quick-exchange 12 V packs that swap in the field without tools: two in an Elite, one in a 3D Target Dropper or a DMT unit.

The 12 V 15 Ah lithium (LiFePO4) pack is a drop-in Elite upgrade with up to 5× the life of lead-acid and an 11-year warranty. Store batteries charged, cool and dry; recharge every 3 to 6 months.

LITHIUM 12 V 15 Ah LiFePO4	WARRANTY 11 years (lithium)
SWAP No tools	ELITE Two packs

+ WHAT'S AVAILABLE

BATTERIES AND CHARGERS



12V15AH 12 V 15 Ah lithium



TCR-914 12 V 12 Ah pack, Elite



TCR-920 12 V 9 Ah pack, dropper and DMT



TCR-916-24V Elite charger

TCR-916-12V 12 V charger

+ THE REMOTE

REMOTE BATTERIES

ELITE REMOTE 4 AA batteries.

ORBIT REMOTE Rechargeable, with its own charger.

+ SPECIFICATIONS

LITHIUM	12 V 15 Ah, 300 CCA LiFePO4, BMS, MotoShot harness, PVC wrap; Elite needs two
TCR-914	12 V 12 Ah AGM/SLA; Elite Standard and Armored need two
STORAGE	Fully charged, cool and dry; recharge every 3–6 months

LITHIUM LIFE	Up to 5× lead-acid; 11-year warranty
TCR-920	12 V 9 Ah AGM/SLA; 3D Target Dropper and target turners

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
12V15AH	**12 V lithium battery**	LiFePO4 15 Ah with BMS and MotoShot harness; Elite requires two
TCR-914	**Spare battery, 12 Ah**	AGM/SLA quick-exchange pack for the Elite (two per robot)
TCR-920	**Spare battery, 9 Ah**	AGM/SLA pack for the 3D Target Dropper and target turners
TCR-916-24V-2A	**Charger, Elite series**	Charger for 24 V systems, domestic
TCR-916-12V-1A	**Charger, 12 V systems**	Charger for the 3D Target Dropper and DMT turners
OPTION	**Lithium Battery and Charger package**	Longer run time and faster recharge for an Elite

+ ON THE WEB

Every part here is in the MotoShot shop at motoshot.com/product-category/spare-parts, and every MotoShot film is on youtube.com/@motoshot.

+ LINKS


PRODUCT PAGE

OUR CHANNEL

motoshot.com/product-category/spare-parts

+ WHAT CUSTOMERS SAY


> *"The new part was delivered earlier than expected and was installed and is working properly."*
>
> FIRST SGT. KUSHNER · PRINCE WILLIAM COUNTY PD, VA




ROBOT UPGRADES, POWER & SUPPORT

CASES, COVERS & SPARE PARTS

TCR-1690 · TCR-970 · 3016 · spall-cover · TCR-918 · TCR-918-DD · TCR-PTB









A watertight, crushproof wheeled case for the robot, an aluminum case for the remote and a molded case for accessories.

The 24″ × 24″ rubber spall cover protects an Elite whenever steel is shot on it, and replacement hit sensors are stocked for moving targets and hit-count droppers.

ROBOT CASE **Wheeled, watertight**	SPALL COVER **24″ × 24″**
SENSORS **Robot + dropper**	REMOTE CASE **Aluminum**

+ WHAT'S AVAILABLE

CASES, COVER AND SPARE PARTS




TCR-1690 Robot case



TCR-970 Remote case



3016 Accessories case



Spall cover



TCR-918 Hit sensor



TCR-918-DD Hit-count sensor

+ THE REMOTE

REMOTE CASE (TCR-970)



REMOTE CASE

HOLDS One transmitter in foam, with precut foam for sensors and chargers.

BUILT Aluminum shell with a purge valve and O-ring lid.

+ SPECIFICATIONS

ROBOT CASE	Watertight, crushproof, dustproof; 4 wheels; fold-down handles; pressure valve; padlock protectors
ACCESSORIES CASE	32-3/8″ × 18-1/2″ × 10-7/8″, crushproof, four latches, foam

REMOTE CASE	Aluminum, foam interior for one transmitter, precut foam
SPALL COVER	24″ × 24″ heavy-duty rubber, cut for the Elite accessory mount

+ PART NUMBERS, CONFIGURATIONS & UPGRADES

PART NO.	ITEM	DESCRIPTION
TCR-1690	**Robot transport and storage case**	Wheeled, watertight, crushproof, Pick N Pluck foam
TCR-970	**Remote transport and storage case**	Aluminum, purge valve, O-ring lid; holds one transmitter
3016	**Accessories transport and storage case**	Molded, waterproof, crushproof, with foam
spall-cover	**Spall cover for Elite robots**	Rubber mat for shooting steel on the robot
TCR-918	**Hit sensor**	Replacement for hit-reactive moving target systems
TCR-918-DD	**Hit-count sensor**	Replacement for hit-count 3D Target Droppers
TCR-PTB	**Paper target bracket**	Goal-post style bracket

+ ON THE WEB

Every part here is in the MotoShot shop at motoshot.com/product-category/spare-parts, and every MotoShot film is on youtube.com/@motoshot.

+ LINKS

PRODUCT PAGE

OUR CHANNEL

motoshot.com/product-category/spare-parts

+ WHAT CUSTOMERS SAY

> *"What a breath of fresh air it was to call you last week, receive a shipping confirmation the same day and receive the products two days later."*
>
> SGT. MATT HEGG · WATERTOWN POLICE DEPARTMENT, SD

+ IN THE FIELD PHOTOS










+ MORE FROM MOTOSHOT ON YOUTUBE



Dave Spaulding on the MotoShot Target System
youtu.be/W9AYkj2uDCA · 5:47



What officers said after training on MotoShot moving targets
youtu.be/wUTFXJ9FZjo · 1:12



MotoShot Target System proves decision making does work
youtu.be/82cr8RlzfQ0 · 0:25

NO OBLIGATION 30-DAY DEMO*

PUT MOTOSHOT ON YOUR RANGE FOR 30 DAYS

"I just wanted to let you know the demo unit is on its way back. It was a huge success."
DET. JAMES DILLARD #476 · VENTURA POLICE DEPARTMENT, CA

Call 866.580.4284 or visit motoshot.com/demo-program

*Valid in the continental USA only.

HOW TO ORDER

Every system is quoted to your training needs: **motoshot.com/request-a-quote**, **866.580.4284** or **sales@motoshot.com**. A product specialist gets back to you within 24 hours.

We accept Visa, M/C and PO's upon approved credit. Warranty: 1 year on parts, 90 days on labor. Service: 715.247.3094.

"You take care of business without delay. I wished other businesses and vendors would follow your lead." **Sgt. Beau Skinner** · Clarksville Police Department, TN

WHO WE ARE

Hale Outdoor Products, LLC · 1974 62nd Street, Somerset, WI 54025. MotoShot patent-pending products are made in the USA.

GSA Contract GS-07F-036GA · CAGE 56WT5 · DUNS 80-995-3081 · EIN 20-5200529 · Small business, woman-owned.

MotoShot 2006-2026 20 YEARS SERVING OUR CUSTOMERS

GSA Contract Holder Contract GS-07F-036GA